





Entrez PubMed Nucleotide OMIM PMC Genome Structure Journals 800 Search PubMed for BBP AND beta-amyloid Clear Go × Details Limits Preview/Index History Clipboard

About Entrez

Text Version

Entrez PubMed

Overview Help | FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services Journals Database MeSH Database Single Citation Matcher Batch Citation Matcher Clinical Queries LinkOut Cubby

Related Resources Order Documents **NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

Display Summary

▼ Show: 500 **▼**

Sort

Send to Text One page.

1: Lee Y, Chang DJ, Lee YS, Chang KA, Kim H, Yoon JS, Lee S, Suh Related Articles, Links YH, Kaang BK

Beta-amyloid peptide binding protein does not couple to G protein in a heterologous Xenopus expression system.

J Neurosci Res. 2003 Jul 15;73(2):255-9.

Items 1-2 of 2

PMID: 12836168 [PubMed - indexed for MEDLINE]

1 2: Kajkowski EM, Lo CF, Ning X, Walker S, Sofia HJ, Wang W, Edris Related Articles, Links W. Chanda P. Wagner E. Vile S. Ryan K. McHendry-Rinde B. Smith SC, Wood A, Rhodes KJ, Kennedy JD, Bard J, Jacobsen JS, Ozenberger BA.



beta -Amyloid peptide-induced apoptosis regulated by a novel protein containing a g protein activation module.

J Biol Chem. 2001 Jun 1;276(22):18748-56. Epub 2001 Feb 20. PMID: 11278849 [PubMed - indexed for MEDLINE]

> Write to the Help Desk NCBI | NLM | NIH Department of Health & Human Services Freedom of Information Act | Disclaimer

> > Apr 13 2004 06:53:40

h

cb

h g fcg e ch







Nucleotide Genome OMIM PMC Structure Journals 300 Search PubMed for beta-amyloid peptide binding protein × Go Clear Preview/Index History Clipboard Details About Entrez Display Summary ▼ Show: 500 ▼ Send to Text Items 1-126 of 126 One page. **Text Version** 1: Fodero LR, Mok SS, Losic D, Martin LL, Aguilar MI, Barrow CJ, Related Articles, Links Entrez PubMed Livett BG, Small DH. Overview Alpha7-nicotinic acetylcholine receptors mediate an Abeta(1-42)-induced Help | FAQ increase in the level of acetylcholinesterase in primary cortical neurones. Tutorial J Neurochem. 2004 Mar;88(5):1186-93. New/Noteworthy E-Utilities PMID: 15009674 [PubMed - indexed for MEDLINE] 2: King GD, Cherian K, Turner RS. Related Articles, Links PubMed Services Journals Database X11alpha impairs gamma- but not beta-cleavage of amyloid precursor MeSH Database protein. Single Citation Matcher J Neurochem. 2004 Feb;88(4):971-82. **Batch Citation Matcher** PMID: 14756819 [PubMed - indexed for MEDLINE] Clinical Queries LinkOut Cubby **3:** Abramov AY, Canevari L, Duchen MR. Related Articles, Links Beta-amyloid peptides induce mitochondrial dysfunction and oxidative Related Resources stress in astrocytes and death of neurons through activation of NADPH Order Documents oxidase. **NLM Gateway** TOXNET J Neurosci. 2004 Jan 14;24(2):565-75. Consumer Health PMID: 14724257 [PubMed - indexed for MEDLINE] Clinical Alerts ClinicalTrials.gov 4: Jo DG, Lee JY, Hong YM, Song S, Mook-Jung I, Koh JY, Jung YK. Related Articles, Links PubMed Central Induction of pro-apoptotic calsenilin/DREAM/KChIP3 in Alzheimer's Privacy Policy disease and cultured neurons after amyloid-beta exposure. J Neurochem. 2004 Feb;88(3):604-11. Erratum in: J Neurochem. 2004 Mar;88(6):1570. PMID: 14720210 [PubMed - indexed for MEDLINE] 5: Suen KC, Lin KF, Elyaman W, So KF, Chang RC, Hugon J. Related Articles, Links Reduction of calcium release from the endoplasmic reticulum could only provide partial neuroprotection against beta-amyloid peptide toxicity. J Neurochem. 2003 Dec;87(6):1413-26. Erratum in: J Neurochem. 2004 Feb;88(4):1040. PMID: 14713297 [PubMed - indexed for MEDLINE] 6: Solntseva EI, Bukanova IuV, Skrebitskii VG. Related Articles, Links [Memory and potassium channels] Usp Fiziol Nauk. 2003 Oct-Dec;34(4):16-25. Review. Russian. PMID: 14658300 [PubMed - indexed for MEDLINE] 7: Guo Q, Xie J. Related Articles, Links AATF inhibits aberrant production of amyloid beta peptide 1-42 by interacting directly with Par-4. J Biol Chem. 2004 Feb 6;279(6):4596-603. Epub 2003 Nov 18. PMID: 14627703 [PubMed - indexed for MEDLINE] 8: Kojouharova MS, Tsacheva IG, Tchorbadjieva MI, Reid KB, Related Articles, Links Kishore U.

fcg

e ch

Localization of ligand-binding sites on human C1q globular head region using recombinant globular head fragments and single-chain antibodies.

cb


h g

e e

e fcg

e ch

Biochim Biophys Acta. 2003 Nov 3;1652(1):64-74. PMID: 14580997 [PubMed - indexed for MEDLINE] 1 9. Chang Y, Tesco G, Jeong WJ, Lindsley L, Eckman EA, Eckman CB, Related Articles, Links Tanzi RE, Guenette SY Generation of the beta-amyloid peptide and the amyloid precursor protein Cterminal fragment gamma are potentiated by FE65L1. J Biol Chem. 2003 Dec 19;278(51):51100-7. Epub 2003 Oct 03. PMID: 14527950 [PubMed - indexed for MEDLINE] 10: Lee JH, Lau KF, Perkinton MS, Standen CL, Shemilt SJ, Mercken Related Articles, Links L, Cooper JD, McLoughlin DM, Miller CC. The neuronal adaptor protein X11alpha reduces Abeta levels in the brains of Alzheimer's APPswe Tg2576 transgenic mice. J Biol Chem. 2003 Nov 21;278(47):47025-9. Epub 2003 Sep 11. PMID: 12970358 [PubMed - indexed for MEDLINE] 11: Kishore U, Gupta SK, Perdikoulis MV, Kojouharova MS, Urban Related Articles, Links BC, Reid KB. Modular organization of the carboxyl-terminal, globular head region of human Clq A, B, and C chains. J Immunol. 2003 Jul 15;171(2):812-20. PMID: 12847249 [PubMed - indexed for MEDLINE] 12: Kanning KC, Hudson M, Amieux PS, Wiley JC, Bothwell M, Related Articles, Links Schecterson LC. Proteolytic processing of the p75 neurotrophin receptor and two homologs generates C-terminal fragments with signaling capability. J Neurosci. 2003 Jul 2;23(13):5425-36. PMID: 12843241 [PubMed - indexed for MEDLINE] 13: Lee Y, Chang DJ, Lee YS, Chang KA, Kim H, Yoon JS, Lee S, Related Articles, Links Suh YH, Kaang BK. Beta-amyloid peptide binding protein does not couple to G protein in a heterologous Xenopus expression system. J Neurosci Res. 2003 Jul 15;73(2):255-9. PMID: 12836168 [PubMed - indexed for MEDLINE] 14: Sumioka A, Imoto S, Martins RN, Kirino Y, Suzuki T. Related Articles, Links XB51 isoforms mediate Alzheimer's beta-amyloid peptide production by X11L (X11-like protein)-dependent and -independent mechanisms. Biochem J. 2003 Aug 15;374(Pt 1):261-8. PMID: 12780348 [PubMed - indexed for MEDLINE] 15: Rodriguez-Kern A, Gegelashvili M, Schousboe A, Zhang J. Sung Related Articles, Links L, Gegelashvili G. Beta-amyloid and brain-derived neurotrophic factor, BDNF, up-regulate the expression of glutamate transporter GLT-1/EAAT2 via different signaling pathways utilizing transcription factor NF-kappaB. Neurochem Int. 2003 Sep-Oct;43(4-5):363-70. PMID: 12742080 [PubMed - indexed for MEDLINE] 16: lkezu T, Luo X, Weber GA, Zhao J, McCabe L, Buescher JL, Related Articles, Links Ghorpade A, Zheng J, Xiong H. Amyloid precursor protein-processing products affect mononuclear phagocyte activation: pathways for sAPP- and Abeta-mediated neurotoxicity. J Neurochem. 2003 May;85(4):925-34. PMID: 12716424 [PubMed - indexed for MEDLINE] 1. 17: Bamberger ME, Harris ME, McDonald DR, Husemann J, Landreth Related Articles, Links



h cb hg e e e fcg e ch b e



Amyloidogenic processing of the Alzheimer beta-amyloid precursor protein depends on lipid rafts.

J Cell Biol. 2003 Jan 6;160(1):113-23. Epub 2003 Jan 06.

PMID: 12515826 [PubMed - indexed for MEDLINE]

1 27: Heiser M. Hutter-Paier B, Jerkovic L. Pfragner R, Windisch M, Becker-Andre M, Dieplinger H.

Related Articles, Links

Vitamin E binding protein afamin protects neuronal cells in vitro.
J Neural Transm Suppl. 2002;(62):337-45.
PMID: 12456077 [PubMed - indexed for MEDLINE]

Time to the first the manner of the part

28: Xiao AY, Wang XQ, Yang A, Yu SP.

Related Articles, Links

Slight impairment of Na+,K+-ATPase synergistically aggravates ceramideand beta-amyloid-induced apoptosis in cortical neurons.

Brain Res. 2002 Nov 15;955(1-2):253-9.

PMID: 12419544 [PubMed - indexed for MEDLINE]

Yogelgesang S, Cascorbi I, Schroeder E, Pahnke J, Kroemer HK.

Siegmund W, Kunert-Keil C, Walker LC, Warzok RW.

Related Articles, Links

Deposition of Alzheimer's beta-amyloid is inversely correlated with P-glycoprotein expression in the brains of elderly non-demented humans. Pharmacogenetics. 2002 Oct;12(7):535-41.

PMID: 12360104 [PubMed - indexed for MEDLINE]

30: Jaeger LB, Farr SA, Banks WA, Morley JE.

Related Articles, Links

Effects of orexin-A on memory processing. Peptides. 2002 Sep;23(9):1683-8.

PMID: 12217429 [PubMed - indexed for MEDLINE]

31: Rovira C. Arbez N. Mariani J.

Related Articles, Links

Abeta(25-35) and Abeta(1-40) act on different calcium channels in CA1 hippocampal neurons.

Biochem Biophys Res Commun. 2002 Sep 6;296(5):1317-21. PMID: 12207918 [PubMed - indexed for MEDLINE]

1 32: Stein TD, Johnson JA.

Related Articles, Links

Lack of neurodegeneration in transgenic mice overexpressing mutant amyloid precursor protein is associated with increased levels of transthyretin and the activation of cell survival pathways.

J Neurosci. 2002 Sep 1;22(17):7380-8.

PMID: 12196559 [PubMed - indexed for MEDLINE]

33: Tanahashi H, Tabira T.

Related Articles, Links

Characterization of an amyloid precursor protein-binding protein Fe65L2 and its novel isoforms lacking phosphotyrosine-interaction domains. Biochem J. 2002 Nov 1;367(Pt 3):687-95.

PMID: 12153398 [PubMed - indexed for MEDLINE]

34: He X, Chang WP, Koelsch G, Tang J.

Related Articles, Links

Memapsin 2 (beta-secretase) cytosolic domain binds to the VHS domains of GGA1 and GGA2: implications on the endocytosis mechanism of memapsin 2.

FEBS Lett. 2002 Jul 31;524(1-3):183-7. Erratum in: FEBS Lett 2002 Aug 28;526(1-3):152

PMID: 12135764 [PubMed - indexed for MEDLINE]

35: Kagan BL, Hirakura Y, Azimov R, Azimova R, Lin MC.

Related Articles, Links

The channel hypothesis of Alzheimer's disease: current status.

h

cb

hg e e e fcg

e ch

	Peptides. 2002 Jul;23(7):1311-5. Review. PMID: 12128087 [PubMed - indexed for MEDLINE]	
□36:	Chen Q, Kimura H, Schubert D.	Related Articles, Links
	A novel mechanism for the regulation of amyloid precur	sor protein
4	metabolism. J Cell Biol. 2002 Jul 8;158(1):79-89. Epub 2002 Jul 01. PMID: 12093789 [PubMed - indexed for MEDLINE]	
□ 37:	Ikegaya Y, Matsuura S, Ueno S, Baba A, Yamada MK, Nishiyama N, Matsuki N.	Related Articles, Links
	Beta-amyloid enhances glial glutamate uptake activity a synaptic efficacy. J Biol Chem. 2002 Aug 30;277(35):32180-6. Epub 2002 Jun 17. PMID: 12070161 [PubMed - indexed for MEDLINE]	nd attenuates
□38:	Blanchard BJ, Thomas VL, Ingram VM.	Related Articles, Links
	Mechanism of membrane depolarization caused by the A 42 peptide. Biochem Biophys Res Commun. 2002 May 17;293(4):1197-203. PMID: 12054502 [PubMed - indexed for MEDLINE]	Alzheimer Abeta1-
39 :	He LM, Chen LY, Lou XL, Qu AL, Zhou Z, Xu T.	Related Articles, Links
	Evaluation of beta-amyloid peptide 25-35 on calcium hocultured rat dorsal root ganglion neurons. Brain Res. 2002 Jun 7;939(1-2):65-75. PMID: 12020852 [PubMed - indexed for MEDLINE]	omeostasis in
□ 40:	Mungarro-Menchaca X, Ferrera P, Moran J, Arias C.	Related Articles, Links
	beta-Amyloid peptide induces ultrastructural changes in potentiates mitochondrial dysfunction in the presence of J Neurosci Res. 2002 Apr 1;68(1):89-96. PMID: 11933053 [PubMed - indexed for MEDLINE]	
□ 41:	Mbebi C, See V, Mercken L, Pradier L, Muller U, Loeffler JP.	Related Articles, Links
	Amyloid precursor protein family-induced neuronal dear impairment of the neuroprotective calcium/calmodulin p dependent signaling pathway. J Biol Chem. 2002 Jun 7;277(23):20979-90. Epub 2002 Mar 04. PMID: 11877414 [PubMed - indexed for MEDLINE]	<i>y</i>
☐ 42 :	Mushegian A.	Related Articles, Links
	Refining structural and functional predictions for secretary comparative sequence analysis. Proteins. 2002 Apr 1;47(1):69-74. PMID: 11870866 [PubMed - indexed for MEDLINE]	some components
□ 43:	Scheinfeld MH, Roncarati R, Vito P, Lopez PA, Abdallah M, D'Adamio L.	Related Articles, Links
	Jun NH2-terminal kinase (JNK) interacting protein 1 (JL cytoplasmic domain of the Alzheimer's beta-amyloid pre (APP). J Biol Chem. 2002 Feb 1;277(5):3767-75. Epub 2001 Nov 27. PMID: 11724784 [PubMed - indexed for MEDLINE]	
□ 44:	Shuli S, Yongmei Z, Zhiwei Z, Zhijuan J.	Related Articles, Links
	beta-Amyloid and its binding protein in the hippocampu effect of APP17 peptide.	s of diabetic mice:

h cb h g e e e fcg e ch b e

Neuroreport. 2001 Oct 29;12(15):3317-9. PMID: 11711878 [PubMed - indexed for MEDLINE] 45: Yazawa H, Yu ZX, Takeda, Le Y, Gong W, Ferrans VJ, Related Articles, Links Oppenheim JJ, Li CC, Wang JM Beta amyloid peptide (Abeta42) is internalized via the G-protein-coupled receptor FPRL1 and forms fibrillar aggregates in macrophages. FASEB J. 2001 Nov;15(13):2454-62. PMID: 11689470 [PubMed - indexed for MEDLINE] 46: Ruiz-Leon Y, Pascual A. Related Articles, Links Brain-derived neurotrophic factor stimulates beta-amyloid gene promoter activity by a Ras-dependent/AP-1-independent mechanism in SH-SY5Y neuroblastoma cells. J Neurochem. 2001 Oct;79(2):278-85. PMID: 11677255 [PubMed - indexed for MEDLINE] 47: Knight DS, Mahajan DK, Qiao X. Related Articles, Links Dietary fat up-regulates the apolipoprotein E mRNA level in the Zucker lean rat brain. Neuroreport. 2001 Oct 8;12(14):3111-5. Erratum in: Neuroreport 2001 Dec 21;12 (18):following 4175. PMID: 11568647 [PubMed - indexed for MEDLINE] 48: Cupers P. Orlans I, Craessaerts K, Annaert W, De Strooper B. Related Articles, Links The amyloid precursor protein (APP)-cytoplasmic fragment generated by gamma-secretase is rapidly degraded but distributes partially in a nuclear fraction of neurones in culture. J Neurochem. 2001 Sep;78(5):1168-78. PMID: 11553691 [PubMed - indexed for MEDLINE] 49: Kallijarvi J, Haltia M, Baumann MH. Related Articles, Links Amphoterin includes a sequence motif which is homologous to the Alzheimer's beta-amyloid peptide (Abeta), forms amyloid fibrils in vitro, and binds avidly to Abeta. Biochemistry. 2001 Aug 28;40(34):10032-7. PMID: 11513581 [PubMed - indexed for MEDLINE] 50: Lauderback CM, Hackett JM, Huang FF, Keller JN, Szweda LI, Related Articles, Links Markesbery WR, Butterfield DA The glial glutamate transporter, GLT-1, is oxidatively modified by 4hydroxy-2-nonenal in the Alzheimer's disease brain: the role of Abeta 1-42. J Neurochem. 2001 Jul;78(2):413-6. PMID: 11461977 [PubMed - indexed for MEDLINE] 51: Matsumoto A, Itoh K, Seki T, Motozaki K, Matsuyama S. Related Articles, Links Human brain carboxypeptidase B, which cleaves beta-amyloid peptides in vitro, is expressed in the endoplasmic reticulum of neurons. Eur J Neurosci. 2001 May; 13(9): 1653-7. PMID: 11359517 [PubMed - indexed for MEDLINE] 52: Le Y, Oppenheim JJ, Wang JM. Related Articles, Links Pleiotropic roles of formyl peptide receptors. Cytokine Growth Factor Rev. 2001 Mar; 12(1):91-105. Review. PMID: 11312121 [PubMed - indexed for MEDLINE] 53: Kajkowski EM, Lo CF, Ning X, Walker S, Sofia HJ, Wang W. Related Articles, Links Edris W, Chanda P, Wagner E, Vile S, Ryan K, McHendry-Rinde B, Smith SC, Wood A, Rhodes KJ, Kennedy JD, Bard J, Jacobsen

h

cb

hg e e e fcg

e ch

JS, Ozenberger BA.



beta -Amyloid peptide-induced apoptosis regulated by a novel protein containing a g protein activation module.

J Biol Chem. 2001 Jun 1;276(22):18748-56. Epub 2001 Feb 20.

PMID: 11278849 [PubMed - indexed for MEDLINE]

54: Guo Q, Xie J, Chang X, Du H

Related Articles, Links



Prostate apoptosis response-4 enhances secretion of amyloid beta peptide 1-42 in human neuroblastoma IMR-32 cells by a caspase-dependent pathway.

J Biol Chem. 2001 May 11;276(19):16040-4. Epub 2001 Feb 23.

PMID: 11278808 [PubMed - indexed for MEDLINE]

55: Xu C, Qian C, Zhang Z, Wu C, Zhou P, Liang X.

Related Articles, Links



Effects of beta-amyloid peptide on transient outward potassium current of acutely dissociated hippocampal neurons in CA1 sector in rats.

Chin Med J (Engl). 1998 Jun;111(6):492-5.

PMID: 11245064 [PubMed - indexed for MEDLINE]

56: Ohsawa I. Takamura C, Kohsaka S.

Related Articles, Links



Fibulin-1 binds the amino-terminal head of beta-amyloid precursor protein and modulates its physiological function.

J Neurochem. 2001 Mar;76(5):1411-20.

PMID: 11238726 [PubMed - indexed for MEDLINE]

57: Chung S, Lee J, Joe EH, Uhm DY.

Related Articles, Links



Beta-amyloid peptide induces the expression of voltage dependent outward rectifying K+ channels in rat microglia.

Neurosci Lett. 2001 Mar 9;300(2):67-70.

PMID: 11207376 [PubMed - indexed for MEDLINE]

58: Lam FC, Liu R, Lu P, Shapiro AB, Renoir JM, Sharom FJ, Reiner Related Articles, Links PB



beta-Amyloid efflux mediated by p-glycoprotein.

J Neurochem. 2001 Feb;76(4):1121-8.

PMID: 11181832 [PubMed - indexed for MEDLINE]

59: Parks JK, Smith TS, Trimmer PA, Bennett JP Jr, Parker WD Jr.

Related Articles, Links



Neurotoxic Abeta peptides increase oxidative stress in vivo through NMDA-receptor and nitric-oxide-synthase mechanisms, and inhibit complex IV activity and induce a mitochondrial permeability transition in vitro.

J Neurochem. 2001 Feb;76(4):1050-6.

PMID: 11181824 [PubMed - indexed for MEDLINE]

60: Le Y, Gong W, Tiffany HL, Tumanov A, Nedospasov S, Shen W, Dunlop NM, Gao JL, Murphy PM, Oppenheim JJ, Wang JM.

Amyloid (beta)42 activates a G-protein-coupled chemoattractant receptor, FPR-like-1.

J Neurosci. 2001 Jan 15;21(2):RC123.

PMID: 11160457 [PubMed - indexed for MEDLINE]

61: Barger SW, Basile AS.

Related Articles, Links



Activation of microglia by secreted amyloid precursor protein evokes release of glutamate by cystine exchange and attenuates synaptic function. J Neurochem. 2001 Feb;76(3):846-54.

PMID: 11158256 [PubMed - indexed for MEDLINE]

h

cb hg e e fcg

e ch

cb

h g


e e

e fcg

e ch

62: Kawahara M, Kuroda Y. Related Articles, Links Molecular mechanism of neurodegeneration induced by Alzheimer's betaamyloid protein: channel formation and disruption of calcium homeostasis. Brain Res Bull. 2000 Nov 1;53(4):389-97. Review. PMID: 11136994 [PubMed - indexed for MEDLINE] 63: Suh YH, Kim HS, Lee JP, Park CH, Jeong SJ, Kim SS, Rah JC, Related Articles, Links Seo JH, Kim SS. Roles of A beta and carboxyl terminal peptide fragments of amyloid precursor protein in Alzheimer disease. J Neural Transm Suppl. 2000;(58):65-82. PMID: 11128614 [PubMed - indexed for MEDLINE] 64: Rymer DL, Good TA. Related Articles, Links The role of G protein activation in the toxicity of amyloidogenic Abeta-(1-40), Abeta-(25-35), and bovine calcitonin. J Biol Chem. 2001 Jan 26;276(4):2523-30. Epub 2000 Nov 01. PMID: 11060290 [PubMed - indexed for MEDLINE] [65: Taguchi J, Fujii A, Fujino Y, Tsujioka Y, Takahashi M, Tsuboi Y, Related Articles, Links Wada I, Yamada T. Different expression of calreticulin and immunoglobulin binding protein in Alzheimer's disease brain. Acta Neuropathol (Berl). 2000 Aug;100(2):153-60. PMID: 10963362 [PubMed - indexed for MEDLINE] 66: Chen M, Durr J, Fernandez HL. Related Articles, Links Possible role of calpain in normal processing of beta-amyloid precursor protein in human platelets. Biochem Biophys Res Commun. 2000 Jun 24;273(1):170-5. PMID: 10873581 [PubMed - indexed for MEDLINE] 67: Paris D, Town T, Mori T, Parker TA, Humphrey J, Mullan M. Related Articles, Links Soluble beta-amyloid peptides mediate vasoactivity via activation of a proinflammatory pathway. Neurobiol Aging. 2000 Mar-Apr;21(2):183-97. PMID: 10867203 [PubMed - indexed for MEDLINE] 68: Robn TT, Ivins KJ, Bahr BA, Cotman CW, Cribbs DH. Related Articles, Links A monoclonal antibody to amyloid precursor protein induces neuronal Ш apoptosis. J Neurochem. 2000 Jun;74(6):2331-42. PMID: 10820193 [PubMed - indexed for MEDLINE] 69: Diaz-Rodriguez E, Esparis-Ogando A, Montero JC, Yuste L, Related Articles, Links Pandiella A. Stimulation of cleavage of membrane proteins by calmodulin inhibitors. Biochem J. 2000 Mar 1;346 Pt 2:359-67. PMID: 10677354 [PubMed - indexed for MEDLINE] 70: Choi YC, Park GT, Kim TS, Sunwoo IN, Steinert PM, Kim SY. Related Articles, Links Sporadic inclusion body myositis correlates with increased expression and cross-linking by transglutaminases 1 and 2. J Biol Chem. 2000 Mar 24;275(12):8703-10. PMID: 10722712 [PubMed - indexed for MEDLINE] 71: MacManus A, Ramsden M, Murray M, Henderson Z, Pearson HA, Related Articles, Links Campbell VA.

cb



80: Orpiszewski J. Benson MD. Related Articles, Links Induction of beta-sheet structure in amyloidogenic peptides by h g e fcg е e ch b e

precursor protein.

Neuroreport. 1999 May 14;10(7):1427-31.

PMID: 10380958 [PubMed - indexed for MEDLINE]

Cation selective channels formed by a C-terminal fragment of beta-amyloid

cb

h g

e e

e fcg

e ch

b e

neutralization of aspartate: a model for amyloid nucleation. J Mol Biol. 1999 Jun 4;289(2):413-28. PMID: 10366514 [PubMed - indexed for MEDLINE] 81: Yu GS, Hu J, Nakagawa H. Related Articles, Links Inhibition of beta-amyloid cytotoxicity by midkine. Neurosci Lett. 1998 Oct 2;254(3):125-8. PMID: 10214973 [PubMed - indexed for MEDLINE] 82: Brouillet E, Trembleau A, Galanaud D, Volovitch M, Bouillot C, Related Articles, Links Valenza C, Prochiantz A, Allinquant B. The amyloid precursor protein interacts with Go heterotrimeric protein within a cell compartment specialized in signal transduction. J Neurosci. 1999 Mar 1;19(5):1717-27. PMID: 10024358 [PubMed - indexed for MEDLINE] 83: Silei V, Fabrizi C, Venturini G, Salmona M, Bugiani O, Tagliavini Related Articles, Links F. Lauro GM. Activation of microglial cells by PrP and beta-amyloid fragments raises intracellular calcium through L-type voltage sensitive calcium channels. Brain Res. 1999 Feb 6;818(1):168-70. PMID: 9914452 [PubMed - indexed for MEDLINE] 84: Yan SD, Shi Y, Zhu A, Fu J, Zhu H, Zhu Y, Gibson L, Stern E, Related Articles, Links Collison K, Al-Mohanna F, Ogawa S, Roher A, Clarke SG, Stern Role of ERAB/L-3-hydroxyacyl-coenzyme A dehydrogenase type II activity in Abeta-induced cytotoxicity. J Biol Chem. 1999 Jan 22;274(4):2145-56. PMID: 9890977 [PubMed - indexed for MEDLINE] 85: Wernyj RP, Mattson MP, Christakos S. Related Articles, Links Expression of calbindin-D28k in C6 glial cells stabilizes intracellular calcium levels and protects against apoptosis induced by calcium ionophore and amyloid beta-peptide. Brain Res Mol Brain Res. 1999 Jan 22;64(1):69-79. PMID: 9889325 [PubMed - indexed for MEDLINE] 86: Zhang W, Johnson BR, Suri DE, Martinez J, Bjornsson TD. Related Articles, Links Immunohistochemical demonstration of tissue transglutaminase in amyloid plaques. Acta Neuropathol (Berl). 1998 Oct;96(4):395-400. PMID: 9797004 [PubMed - indexed for MEDLINE] 87: Buxbaum JD, Choi EK, Luo Y, Lilliehook C, Crowley AC, Related Articles, Links Merriam DE, Wasco W. Calsenilin: a calcium-binding protein that interacts with the presenilins and regulates the levels of a presentlin fragment. Nat Med. 1998 Oct;4(10):1177-81. PMID: 9771752 [PubMed - indexed for MEDLINE] 88: Fowler CJ, Ando Y, Tiger G. Related Articles, Links Comparison of the effects of hydrogen peroxide, 4-hydroxy-2-nonenal and beta-amyloid (25-35) upon calcium signalling. Neurochem Int. 1998 Aug; 33(2):161-72. PMID: 9761460 [PubMed - indexed for MEDLINE] 89: Yu SP, Farhangrazi ZS, Ying HS, Yeh CH, Choi DW. Related Articles, Links Enhancement of outward potassium current may participate in beta-

Expression of ryanodine receptors in human embryonic kidney (HEK293) cells. Biochem J. 1998 Aug 15;334 (Pt 1):79-86. PMID: 9693105 [PubMed - indexed for MEDLINE] 91: Crawford F, Suo Z, Fang C, Mullan M. Related Articles, Lini Characteristics of the in vitro vasoactivity of beta-amyloid peptides. Exp Neurol. 1998 Mar;150(1):159-68. PMID: 9514824 [PubMed - indexed for MEDLINE] 92: Du Y, Bales KR, Dodel RC, Liu X, Glinn MA, Horn JW, Little SP. Related Articles, Lini Paul SM. Alpha2-macroglobulin attenuates beta-amyloid peptide 1-40 fibril formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 93: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Lini T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
cells. Biochem J. 1998 Aug 15;334 (Pt 1):79-86. PMID: 9693105 [PubMed - indexed for MEDLINE] 191: Crawford F, Suo Z, Fang C, Mullan M. Characteristics of the in vitro vasoactivity of beta-amyloid peptides. Exp Neurol. 1998 Mar;150(1):159-68. PMID: 9514824 [PubMed - indexed for MEDLINE] 192: Du Y, Bales KR, Dodel RC, Liu X, Glinn MA, Horn JW, Little SP. Related Articles, Linit Paul SM. Alpha2-macroglobulin attenuates beta-amyloid peptide 1-40 fibril formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 193: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Linit T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
Characteristics of the in vitro vasoactivity of beta-amyloid peptides. Exp Neurol. 1998 Mar;150(1):159-68. PMID: 9514824 [PubMed - indexed for MEDLINE] 1 92: Du Y, Bales KR, Dodel RC, Liu X, Glinn MA, Horn JW, Little SP. Related Articles, Lini Paul SM. Alpha2-macroglobulin attenuates beta-amyloid peptide 1-40 fibril formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 93: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Lini T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
Exp Neurol. 1998 Mar;150(1):159-68. PMID: 9514824 [PubMed - indexed for MEDLINE] 1. 92: Du Y, Bales KR, Dodel RC, Liu X, Glinn MA, Horn JW, Little SP. Related Articles, Lini Paul SM. Alpha2-macroglobulin attenuates beta-amyloid peptide 1-40 fibril formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 93: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Lini T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
Alpha2-macroglobulin attenuates beta-amyloid peptide 1-40 fibril formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 93: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Lini T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
formation and associated neurotoxicity of cultured fetal rat cortical neurons. J Neurochem. 1998 Mar;70(3):1182-8. PMID: 9489740 [PubMed - indexed for MEDLINE] 93: Ermekova KS, Zambrano N, Linn H, Minopoli G, Gertler F, Russo Related Articles, Lini T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
T, Sudol M. The WW domain of neural protein FE65 interacts with proline-rich motifs		
The WW domain of neural protein FE65 interacts with proline-rich motifs in Mena, the mammalian homolog of Drosophila enabled. J Biol Chem. 1997 Dec 26;272(52):32869-77. PMID: 9407065 [PubMed - indexed for MEDLINE]		
94: Blanchard BJ, Konopka G, Russell M, Ingram VM. Related Articles, Link		
Mechanism and prevention of neurotoxicity caused by beta-amyloid peptides: relation to Alzheimer's disease. Brain Res. 1997 Nov 21;776(1-2):40-50. PMID: 9439794 [PubMed - indexed for MEDLINE]		
95: Cowburn RF, Wiehager B, Trief E, Li-Li M, Sundstrom E. Related Articles, Link		
Effects of beta-amyloid-(25-35) peptides on radioligand binding to		
excitatory amino acid receptors and voltage-dependent calcium channels: evidence for a selective affinity for the glutamate and glycine recognition sites of the NMDA receptor. Neurochem Res. 1997 Dec;22(12):1437-42. PMID: 9357007 [PubMed - indexed for MEDLINE]		
evidence for a selective affinity for the glutamate and glycine recognition sites of the NMDA receptor. Neurochem Res. 1997 Dec;22(12):1437-42.		
evidence for a selective affinity for the glutamate and glycine recognition sites of the NMDA receptor. Neurochem Res. 1997 Dec;22(12):1437-42. PMID: 9357007 [PubMed - indexed for MEDLINE]		
evidence for a selective affinity for the glutamate and glycine recognition sites of the NMDA receptor. Neurochem Res. 1997 Dec;22(12):1437-42. PMID: 9357007 [PubMed - indexed for MEDLINE] PMID: Querfurth HW, Jiang J, Geiger JD, Selkoe DJ. Caffeine stimulates amyloid beta-peptide release from beta-amyloid precursor protein-transfected HEK293 cells. J Neurochem. 1997 Oct;69(4):1580-91.		
evidence for a selective affinity for the glutamate and glycine recognition sites of the NMDA receptor. Neurochem Res. 1997 Dec;22(12):1437-42. PMID: 9357007 [PubMed - indexed for MEDLINE] Caffeine stimulates amyloid beta-peptide release from beta-amyloid precursor protein-transfected HEK293 cells. J Neurochem. 1997 Oct;69(4):1580-91. PMID: 9326287 [PubMed - indexed for MEDLINE]		

	Apolipoprotein E forms stable complexes with recombinations disease beta-amyloid precursor protein. Biochem J. 1997 Jul 1;325 (Pt 1):169-75. PMID: 9224643 [PubMed - indexed for MEDLINE]	nant Alzheimer's	
□ 99:	Sheehan JP, Swerdlow RH, Miller SW, Davis RE, Parks JK, Parke WD, Tuttle JB.	I Related Articles, Links	
	Calcium homeostasis and reactive oxygen species produtransformed by mitochondria from individuals with spot disease. J Neurosci. 1997 Jun 15;17(12):4612-22. PMID: 9169522 [PubMed - indexed for MEDLINE]		
□ 100	: Jan L.Y. Jan YN.	Related Articles, Links	
	Receptor-regulated ion channels. Curr Opin Cell Biol. 1997 Apr;9(2):155-60. Review. PMID: 9069261 [PubMed - indexed for MEDLINE]		
101	: Lorton D.	Related Articles, Links	
	beta-Amyloid-induced IL-1 beta release from an activa monocyte cell line is calcium- and G-protein-depender Mech Ageing Dev. 1997 Mar;94(1-3):199-211. PMID: 9147372 [PubMed - indexed for MEDLINE]		
□ 102	Jalonen TO, Chamiga CJ, Wielt DB.	Related Articles, Links	
	beta-Amyloid peptide-induced morphological changes increased K+ and Cl- channel activity in rat cortical as Brain Res. 1997 Jan 23;746(1-2):85-97. PMID: 9037487 [PubMed - indexed for MEDLINE]		
□ 103	: Good TA, Murphy RM.	Related Articles, Links	
	Effect of beta-amyloid block of the fast-inactivating Kintracellular Ca2+ and excitability in a modeled neuron Proc Natl Acad Sci U S A. 1996 Dec 24;93(26):15130-5. PMID: 8986775 [PubMed - indexed for MEDLINE]		
□ 104	Wolozin B, Iwasaki K, Vito P, Ganjei JK, Lacana E, Sunderland T, Zhao B, Kusiak JW, Wasco W, D'Adamio L.	Related Articles, Links	
	Participation of presenilin 2 in apoptosis: enhanced base conferred by an Alzheimer mutation. Science. 1996 Dec 6;274(5293):1710-3. PMID: 8939861 [PubMed - indexed for MEDLINE]	sal activity	
□ 105	Furukawa K, Sopher BL, Rydel RE, Begley JG, Pham DG, Martin GM, Fox M, Mattson MP.	Related Articles, Links	
	Increased activity-regulating and neuroprotective efficacy of alphasecretase-derived secreted amyloid precursor protein conferred by a Cterminal heparin-binding domain. J Neurochem. 1996 Nov;67(5):1882-96. Erratum in: J Neurochem 1997 Mar;68(3):1331.		
	PMID: 8863493 [PubMed - indexed for MEDLINE]		
□ 106	: Zhou Y, Gopalakrishnan V, Richardson JS.	Related Articles, Links	
	Actions of neurotoxic beta-amyloid on calcium homeo of PC12 cells are blocked by antioxidants but not by ca antagonists. J Neurochem. 1996 Oct;67(4):1419-25. PMID: 8858923 [PubMed - indexed for MEDLINE]	stasis and viability llcium channel	

cb

 $h \ g \quad e \quad e \quad e \quad fcg \qquad \qquad e \quad ch$

107: Prehn JH, Bindokas VP, Jordan J, Galindo MF, Ghadge Roos RP, Boise LH, Thompson CB, Krajewski S, Reed J Miller RJ			
Protective effect of transforming growth factor- neurotoxicity in rat hippocampal neurons. Mol Pharmacol. 1996 Feb;49(2):319-28. PMID: 8632765 [PubMed - indexed for MEDLINE]	-beta 1 on beta-amyloid		
108: McConlogue L, Castellano F, deWit C, Schenk D, Malte	se WA. Related Articles, Links		
Differential effects of a Rab6 mutant on secretor processing of Alzheimer's beta-amyloid precurs J Biol Chem. 1996 Jan 19;271(3):1343-8. PMID: 8576122 [PubMed - indexed for MEDLINE]			
109: Good TA, Smith DO, Murphy RM.	Related Articles, Links		
Beta-amyloid peptide blocks the fast-inactivatin hippocampal neurons. Biophys J. 1996 Jan;70(1):296-304. PMID: 8770205 [PubMed - indexed for MEDLINE]	ng K+ current in rat		
110: Eckert A, Forstl H, Zerfass R, Hartmann H, Muller WE.	Related Articles, Links		
Lymphocytes and neutrophils as peripheral mode beta-amyloid on cellular calcium signalling in A Life Sci. 1996;59(5-6):499-510. Review. PMID: 8761338 [PubMed - indexed for MEDLINE]			
111: Pena LA, Brecher CW, Marshak DR	Related Articles, Links		
beta-Amyloid regulates gene expression of gliabeta in C6 glioma and primary astrocyte culture Brain Res Mol Brain Res. 1995 Dec 1;34(1):118-26. PMID: 8750867 [PubMed - indexed for MEDLINE]			
112: Saito Y, Buciak J, Yang J, Pardridge WM.	Related Articles, Links		
Vector-mediated delivery of 125I-labeled beta-40 through the blood-brain barrier and binding amyloid of the A beta 1-40/vector complex. Proc Natl Acad Sci U S A. 1995 Oct 24;92(22):10227-31 PMID: 7479757 [PubMed - indexed for MEDLINE]	to Alzheimer disease		
113: Cowburn RF, Wiehager B, Sundstrom E.	Related Articles, Links		
beta-Amyloid peptides enhance binding of the omessengers, inositol(1,4,5)trisphosphate and interakisphosphate to their receptor sites in rat conversed Lett. 1995 May 19;191(1-2):31-4. PMID: 7659284 [PubMed - indexed for MEDLINE]	ositol-(1,3,4,5)		
114: Dugan JM, deWit C, McConlogue L, Maltese WA.	Related Articles, Links		
115: Copani A, Bruno V, Battaglia G, Leanza G, Pellitteri R, I Stanzani S, Nicoletti F.	Russo A. Related Articles, Links		
Activation of metabotropic glutamate receptors against apoptosis induced by beta-amyloid pept Mol Pharmacol. 1995 May;47(5):890-7. PMID: 7746277 [PubMed - indexed for MEDLINE]			

h g

cb

h

e fcg

e ch

		rage 14 01 13
□ 116	: Lai A, Sisodia SS, Trowbridge IS.	Related Articles, Links
	Characterization of sorting signals in the beta-amyloid cytoplasmic domain. J Biol Chem. 1995 Feb 24;270(8):3565-73. PMID: 7876092 [PubMed - indexed for MEDLINE]	precursor protein
□ 117	: Arispe N, Pollard HB, Rojas E.	Related Articles, Links
	beta-Amyloid Ca(2+)-channel hypothesis for neuronal disease. Mol Cell Biochem. 1994 Nov 23;140(2):119-25. Review. PMID: 7898484 [PubMed - indexed for MEDLINE]	death in Alzheimer
□ 118	Naves FJ, Calzada B, Cabal A, Alonso-Cortina V, del Valle ME, Fernandez-Sanchez MT, Vega JA.	Related Articles, Links
	Expression of beta-amyloid precursor protein (APP) in ganglia. Neurosci Lett. 1994 Nov 7;181(1-2):73-7. PMID: 7898775 [PubMed - indexed for MEDLINE]	human dorsal root
□ 119	Joshi JG, Dhar M, Clauberg M, Chauthaiwale V.	Related Articles, Links
	Iron and aluminum homeostasis in neural disorders. Environ Health Perspect. 1994 Sep;102 Suppl 3:207-13. Review. PMID: 7843099 [PubMed - indexed for MEDLINE]	
□ 120	Mirzabekov T. Lin MC, Yuan WL, Marshall PJ, Carman M, Tomaselli K, Lieberburg I, Kagan BL.	Related Articles, Links
	Channel formation in planar lipid bilayers by a neuroto beta-amyloid peptide. Biochem Biophys Res Commun. 1994 Jul 29;202(2):1142-8. PMID: 7519420 [PubMed - indexed for MEDLINE]	oxic fragment of the
□ 121	Etcheberrigaray R, Ito E, Kim CS, Alkon DL.	Related Articles, Links
	Soluble beta-amyloid induction of Alzheimer's phenoty fibroblast K+ channels. Science. 1994 Apr 8;264(5156):276-9. PMID: 8146663 [PubMed - indexed for MEDLINE]	ype for human
□ 122	: Sussman MA, Bilak M, Kedes L, Engel WK, Askanas V.	Related Articles, Links
	Tropomodulin is highly concentrated at the postsynapt human and rat neuromuscular junctions. Exp Cell Res. 1993 Dec;209(2):388-91. PMID: 8262158 [PubMed - indexed for MEDLINE]	ic domain of
□ 123	: Malek D, Munch G, Palm D.	Related Articles, Links
	Two sites in the third inner loop of the dopamine D2 rein functional G protein-mediated coupling to adenylate FEBS Lett. 1993 Jul 5;325(3):215-9. PMID: 8319806 [PubMed - indexed for MEDLINE]	
□ 124	Schulze H, Schuler A, Stuber D, Dobeli H, Langen H, Huber G.	Related Articles, Links
	Rat brain glyceraldehyde-3-phosphate dehydrogenase is recombinant cytoplasmic domain of Alzheimer's beta-aprotein. J Neurochem. 1993 May;60(5):1915-22. PMID: 8473906 [PubMed - indexed for MEDLINE]	
□ 125	Clauberg M, Joshi JG.	Related Articles, Links
	Regulation of serine protease activity by aluminum: im	plications for



Alzheimer disease.

Proc Natl Acad Sci U S A. 1993 Feb 1;90(3):1009-12. PMID: 7679214 [PubMed - indexed for MEDLINE]

126: Bodmer S, Podlisny MB, Selkoe DJ, Heid I, Fontana A.

Related Articles, Links



Transforming growth factor-beta bound to soluble derivatives of the beta amyloid precursor protein of Alzheimer's disease.

Biochem Biophys Res Commun. 1990 Sep 14;171(2):890-7. PMID: 2119582 [PubMed - indexed for MEDLINE]

Display Summary •

Items 1-126 of 126

• Show: 500 Sort

Sort

Send to Text •

One page.

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Apr 13 2004 06:53:40